
Augusta Wall Clock

Wall clock

MODEL: NF-MODLARW-0

DESIGN DRAWING



⚠ **Read all instructions before you start, and keep them for future reference.**


Mounting precautions

1. Check what is behind the wall before drilling or nailing: pipes, wires and studs.
2. Use a wall fixing rated for the weight of the clock.
3. Keep away from prolonged moisture.

Tools needed


Pencil


Level


Drill


Phillips screwdriver



Battery (not included)


Wall hook or fixing rated for its weight (not included)

Parts list

CHECK ALL PARTS BEFORE YOU START

A ×1


Augusta Wall Clock


Power

Runs on a battery, not included.

Mounting


STEPS 1–5 OF 5

1




Fit the battery and set the time before you hang it. Batteries are not included.

2




Mark the hanging point, with clear space around the clock.

3




Fit a hook or fixing rated for its weight, with an anchor that suits your wall.

4



Hang the clock (A) on the hook.

5



Check it is level.

Care

- Wipe clean with a soft, dry cloth.
- Keep away from prolonged moisture.

Troubleshooting

Problem	What to do
Piece is not level	Loosen one screw slightly or add a small felt pad behind the low side.
Screw will not hold	Use a larger wall anchor, or fix into a stud.

Need help?
Email info@norafurnish.com with your order number and a photo. A part missing or damaged? We will send a new one.

NoraFurnish